




**FarmiCulture**

YOU NEED, WE PROVIDE

[www.farmicultures.com](http://www.farmicultures.com)



## OPTIONS

**GEARBOX :** Single/Multi

**ROTOR :** Standard / Spiral

**SIDE DRIVE :** Gear / Chain

**TOP MAST :** Full / Strip Type

- Weight of PTO (20kg) is not included in total weight.
- Weight of Single Speed Rotary is Approx 30kg less than Multi Speed Rotary.
- Blade Size – 80x7 (14mm hole dia & 57mm Centre Distance).
- Crown / Pinion – 13/23.
- Side Gears – 20/35/28.
- Blade Rotor Pipe heavy 90mm dia.

**Specifications are of Multi Speed & Side Gear Drive.**

- Shot Blasted
- Powder Coated
- Laser Cutting

## Technical Specification

Model	Working Width (cm)	Suitable HP	Number of Blades	Approx Weight (kg)
FRT 4	125	30+	36	368
FRT 5	145	35+	42	408
FRT 5.5	165	40+	48	428
FRT 6	185	45+	54	448
FRT 6.5	205	50+	60	458
FRT 7	225	55+	66	468

# Smart Series



## OPTIONS

- GEARBOX :** Single/Multi
- ROTOR :** Standard / Spiral
- SIDE DRIVE :** Gear / Chain
- TOP MAST :** Full / Strip Type


- Weight of PTO (20kg) is not included in total weight.
- Blade Size – 80x7 (14mm hole dia & 57 mm Centre Distance).
- Crown / Pinion – 13/25.
- Side Gears – 20/35/28.
- Blade Rotor Pipe heavy 90mm dia.

## Technical Specification

Model	Working Width (cm)	Suitable HP	Number of Blades	Approx Weight (kg)
FRT 4	125	35+	30	368
FRT 5	145	40+	36	408
FRT 5.5	165	45+	36/39/42	428
FRT 6	185	50+	42	448
FRT 6.5	205	55+	42/45/48	458
FRT 7	225	60+	48	468

Specifications are of Multi Speed & Side Gear Drive.

# Regular Series



## Technical Specification

Model	Working Width (cm)	Suitable HP	Number of Blades	Approx Weight (kg)
FRT 4	125	30+	36	368
FRT 5	145	35+	42	408
FRT 5.5	165	40+	48	428
FRT 6	185	45+	54	448
FRT 6.5	205	50+	60	458
FRT 7	225	55+	66	468

## OPTIONS

- GEARBOX :** Single/Multi
- ROTOR :** Standard / Spiral
- SIDE DRIVE :** Gear / Chain
- TOP MAST :** Full / Strip Type

- Weight of PTO (20kg) is not included in total weight.
- Blade Size – 70x8 (12mm hole dia & 44mm Centre Distance).
- Crown / Pinion – 13/25.
- Side Gears – 20/35/28.
- Blade Rotor Pipe heavy 90mm dia.

Specifications are of Multi Speed & Side Gear Drive.

**Our Other Products**



**Cultivator**



**Disc Harrow**



**Manual Seed Drill**



**Animal Drawn Seed Drill**



**Chaff Cutter**



**Manual / Reversible MB Plough**

Mfd. & Mktd.: E/16, Industrial Estate, C.B. Ganj, Bareilly (U.P.) - 243122

✉ [info@farmcultures.com](mailto:info@farmcultures.com)

🌐 [www.farmcultures.com](http://www.farmcultures.com)